

china

IOS

Jinshunlai

0.1mm-900mm

## Reliable quality manufacture copper pancake tube C10100,C10200,C10300 Copper Coil Tubing

## **Basic Information**

- Place of Origin:
- Brand Name:
- Certification:
- Model Number:
- Minimum Order Quantity:
- Price:
- Delivery Time:
- Payment Terms:
- Supply Ability:
- 1kg 5000usd 5day L/C, T/T , Western Union,D/P 90000ton



## **Product Specification**

- Application:
- Color:
- Shape:
- Size:
- Surface Treatment:
- Wall Thickness:
- Material:
- Length:

Industrial, Commercial, Etc.					
Red, Etc.					

Coil

- Customized
- ment: Polishing, Anodizing, Etc.
  - 0.2mm~120mm
  - C11000 C10200 C12200
  - Customers' Requirement



## More Images



# Reliable quality manufacture copper pancake tube C10100,C10200,C10300 Copper Coil Tubing

## **Copper advantages**

1.Excellent thermal and electrical conductivity.

2.Wear and corrosion resistance.

3.Enhanced strength when flexed, drawn, or formed.

4. Anti-microbial and corrosion-resistant benefits.

## Key attributes

#### Industry-specific attribute

Products name	Copper Pipe			
Standard	ASTM AISI JIS DIN EN GB			
Size	OD:2-914mm (1/16"-36") WT:0.2-120mm(SCH5S-SCH160S) Length:1m,2m,3m,6m,or as required			
Grade	T1,T2,C10100,C10200,C10300,C10400,C10500,C10700,C10800,C10910,C10 920, TP1,TP2,C10930,C11000,C11300,C11400,C11500,C11600,C12000,C12200,C 12300,TU1,TU2,C12500,C14200,C14420,C14500,C14510,C14520,C14530,C1 7200,C19200,C21000,C23000,C26000,C27000,C27400,C28000,C33000,C332 00,C37000,C44300,C44400,C44500,C60800,C63020,C65500,C68700,C70400, C70600,C70620,C71000,C71500,C71520,C71640,C72200,etc			
Hardness	1/16 hard,1/8 hard,3/8 hard,1/4 hard,1/2hard,full hard,soft,etc			
Surface	Mill,polished,bright,oiled,hair line,brush,mirror,sand blast,or as required			
Package	Standard export seaworthy package or as required.			
Service	OEM/ODM			

#### Other attributes

Place of Origin	Shandong, China
Application	Air Condition Or Refrigerator
Specification	Any Size Can be Customised
Grade	99.9% Pure Copper
Model Number	C11000
Processing Service	Bending, Decoiling, Welding, Punching, Cutting
Payment terms	30%TT Advance + 70% Balance
PRICE TERM	EXW FOB CFR CIF

Certificate

#### ISO9001:2008

Grade

C11000 C12000 C12200

DELIVERY TIME

7-15days

Outside Diameter		Wall Thickness	Nominal Weight (kgs)		Packing	
inch	mm	mm	15 Meters	15.24 Meters	Carton Dimension(cm <sup>3</sup> )	Coils per Carton
3/16	4.76	0.8	1.33	1.35	40*40*18.5	16
1/4	6.35	0.8	1.86	1.89	40*40*18.5	12
1/4	6.35	1.0	2.25	2.28	40*40*18.5	12
5/16	7.94	0.8	2.40	2.44	40*40*18.5	10
5/16	7.94	1.0	2.91	2.96	40*40*18.5	10
3/8	9.52	0.8	2.93	2.98	45*45*18.5	8
3/8	9.52	1.0	3.58	3.64	45*45*18.5	8
1/2	12.7	0.8	4.00	4.06	50*50*18.5	6
1/2	12.7	1.0	4.91	4.99	50*50*18.5	6
5/8	15.88	1.0	6.25	6.35	55*55*18.5	5
3/4	19.05	1.0	7.58	7.70	60*60*18.5	4
7/8	22.22	1.0	8.91	9.06	65*65*18.5	3

### Packaging and delivery

Packaging Details	Each end capped then wrapped with plastic bag then in carton box last pallet
Port	Qingdao

## Attribute-list

Supply Ability

20000 Metric Ton/Metric Tons per Month

## **Product details**





